

L Number	Hits	Search Text	DB	Time stamp
3	4	tokico.asn. and pad with wear with piston same limiter same spring same brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT US-PGPUB USPAT;	2004/09/07 10:18
4	1	"20030066719" and fail\$4 same (spring or resilient)	USPAT;	2004/09/07 10:52
5	8	("5148894" "5954162" "6173820" "6267207" "6305511" "6315092" "6541321" "6613217" "6613218" "6613219" "6613220" "6613221" "6613222" "6613223" "6613224" "6613225" "6613226" "6613227" "6613228" "6613229" "6613230" "6613231" "6613232" "6613233" "6613234" "6613235" "6613236" "6613237" "6613238" "6613239" "6613240" "6613241" "6613242" "6613243" "6613244" "6613245" "6613246" "6613247" "6613248" "6613249" "6613250" "6613251" "6613252" "6613253" "6613254" "6613255" "6613256" "6613257" "6613258" "6613259" "6613260" "6613261" "6613262" "6613263" "6613264" "6613265" "6613266" "6613267" "6613268" "6613269" "6613270")	USPAT;	2004/09/07 10:51
6	1	"20030066719" and fail\$4 same (spring or resilient)	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/09/07 10:52
-	2	6179097.pn. or 6257377.pn.	USPAT;	2004/04/09 06:20
-	0	wo0060255	US-PGPUB USPAT;	2004/04/09 06:20
-	15	brake\$ same motor same caliper same fail\$4	US-PGPUB EPO; JPO; DERWENT	2004/04/09 08:07
-	35	brake\$ same motor same caliper same fail\$4	USPAT;	2004/04/09 06:56
-	3	brake\$ same motor same caliper same fail\$4 and fail\$4 with spring	US-PGPUB EPO; JPO; DERWENT	2004/04/09 06:57
-	14	brake\$ same motor same caliper same fail\$4 and fail\$4 with spring	USPAT;	2004/04/09 06:59
-	1	brake\$ same (electromagnet\$4 or motor) and fail\$4 and fail\$4 with spring with rotary adj actuator	US-PGPUB USPAT;	2004/04/09 07:01
-	1	brake\$ same (electromagnet\$4 or motor) and fail\$4 with spring with rotary adj actuator	US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/04/09 07:04
-	1885	brake\$ same (electromagnet\$4 or motor) same caliper	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 08:26
-	0	(brake\$ same (electromagnet\$4 or motor) same caliper) and torsion with spring with fail\$4	USPAT;	2004/04/09 07:02
-	26	(brake\$ same (electromagnet\$4 or motor) same caliper) and torsion with spring	US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/04/09 07:03
-	12326	brake\$ same (electromagnet\$4 or motor) same releas\$4	US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/04/09 07:04
-	8048	brake\$ same (electromagnet\$4 or motor) same releas\$4 near3 brak\$4	US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/04/09 07:04
-	5294	brake\$ with (electromagnet\$4 or motor) with releas\$4 near3 brak\$4	US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/04/09 07:05
-	175	brake\$ with (electromagnet\$4 or motor) with releas\$4 near3 brak\$4 with fail\$4	US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/04/09 07:06
-	4	brake\$ with (electromagnet\$4 or motor) with releas\$4 near3 brak\$4 with fail\$4 with spring with (torsion or torque)	US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/04/09 07:06
-	4	brake\$ with (electromagnet\$4 or motor) with releas\$4 near3 brak\$4 with fail\$4 with caliper	US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:18

-	17	("1501677"   "3984083"   "4020923"   "4328871"   "4371058"   "4390161"   "4581987"   "4595081"   "4760895"   "4871033"   "5346045"   "5572505"   "5986369"   "6325182"   "6340077"   "6349801"   "6471017").PN.	USPAT	2004/04/09 07:16
-	188	brake\$ with (electromagnet\$4 or motor or motordriven) with (automatic adj adjust\$4 or wear adj compensat\$ or wear adj adjust\$4 or slack adj adjust\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:19
-	320	brake\$ with (electromagnet\$4 or motor or motordriven) with (automatic adj adjust\$4 or wear adj compensat\$ or wear adj adjust\$4 or slack adj adjust\$5 or adjuster)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:19
-	0	brake\$ with (electromagnet\$4 or motor or motordriven) with (automatic adj adjust\$4 or wear adj compensat\$ or wear adj adjust\$4 or slack adj adjust\$5 or adjuster) with limiter	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:19
-	19	brake\$ with (electromagnet\$4 or motor or motordriven) with (automatic adj adjust\$4 or wear adj compensat\$ or wear adj adjust\$4 or slack adj adjust\$5 or adjuster) with limit\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:24
-	19	brake\$ with (electromagnet\$4 or motor or motordriven) with (automatic adj adjust\$4 or wear adj compensat\$ or wear adj adjust\$4 or slack adj adjust\$5 or adjuster) with caliper	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:25
-	2	brake\$ with (electromagnet\$4 or motor or motordriven) with (automatic adj adjust\$4 or wear adj compensat\$ or wear adj adjust\$4 or slack adj adjust\$5 or adjuster) with caliper with (torque or torsion)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:25
-	33	Usui.in. and caliper same brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:27
-	9	(US-6571921-\$ or US-6349801-\$ or US-6257377-\$ or US-5829557-\$ or US-5496102-\$).did. or (US-20030066719-\$ or US-20020023806-\$ or US-20040035655-\$).did. or (US-20030136616-\$).did.	USPAT; US-PGPUB; DERWENT	2004/04/09 07:30
-	3	((("6571921") or ("6491140") or ("6374958"))).PN.	USPAT; US-PGPUB	2004/04/09 07:32
-	2	(US-6491140-\$ or US-6374958-\$).did.	USPAT	2004/04/09 07:40
-	0	("tokio.asn.andcaliperwithbrak\$").PN.	USPAT; US-PGPUB	2004/04/09 07:43
-	0	tokio.asn. and caliper with brak\$	USPAT; US-PGPUB	2004/09/07 08:08
-	88	tokico.asn. and caliper with brak\$	USPAT; US-PGPUB	2004/04/09 07:45
-	279	tokico.asn. and caliper with brak\$	EPO; JPO; DERWENT	2004/04/09 07:46
-	44	tokico.asn. and caliper with brak\$ with (motor or motordriven or electromagnet\$)	EPO; JPO; DERWENT	2004/04/09 07:46
-	3	tokico.asn. and caliper with brak\$ with (motor or motordriven or electromagnet\$) with (spring or wear or fail\$4 or defect\$4)	EPO; JPO; DERWENT	2004/04/09 07:50

	147	("5394699" "5462137" "5689994" "6030054" "6095298" "6142030" "6370975" "6481805" "6059379" "6059379" "5306989" "5406180" "5636444" "5855255" "5873434" "6431317" "4574924" "4604915" "5467597" "6030194" "6357558" "6405835" "6571921" "6059076" "6059076" "4006802" "4267903" "5388669" "5614778" "6056090" "6098762" "5975250" "5826683" "5823053" "4339984" "4928797" "5496102" "5826952" "6230492" "4381047" "4621833" "4922121" "5020322" "5022367" "5239897" "5586623" "5716111" "5931268" "5957246" "6164183").pn. ("6334371" "4865163" "4338787" "4384458" "4461371" "4546860" "4881623" "5348122" "5622142" "5850810" "6125819" "4926977" "4300082" "4614380" "4569234" "5195697" "5305966" "5360175" "4403745"	USPAT; US-PGPUB	2004/04/09 07:56
Search History 9/7/04 11:40:59 AM Page 3 C:\APPS\least\workspaces\111144838.wsp 4318465 "4403745"				

-	32	("5394699" "5462137" "5689994" "6030054" "6095298" "6142030" "6370975" "6481805" "6059379" "6059379" "5306989" "5406180" "5636444" "5855255" "5873434" "6431317" "4574924" "4604915" "5467597" "6030194" "6357558" "6405835" "6571921" "6059076" "6059076" "4006802" "4267903" "5388669" "5614778" "6056090" "6098762" "5975250" "5826683" "5823053" "4339984" "4928797" "5496102" "5826952" "6230492" "4381047" "4621833" "4922121" "5020322" "5022367" "5239897" "5586623" "5716111" "5931268" "5957246" "6164183").pn. ("6334371" "4865163" "4338787" "4384458" "4461371" "4546860" "4881623" "5348122" "5622142" "5850810" "6125819" "4926977" "4300082" "4614380" "4569234" "5195697" "5305966" "5360175" "4106945" "4014833" "4318465" "4403745"	USPAT; US-PGPUB	2004/04/09 08:02
Search History 9/7/04 11:40:09 AM Page 4		C:\APPS\least\workspaces\107161688.wsp		

-	1	("6491140").PN.	USPAT; US-PGPUB	2004/04/09 08:02
-	3	("5971110"   "6279691"   "6325182").PN.	USPAT	2004/04/09 08:02
-	1	"20030066719"	US-PGPUB	2004/04/09 08:41
-	1	"20030066719" and fail\$4	US-PGPUB	2004/04/09 08:10
-	0	"20040035655" and fail\$4	US-PGPUB	2004/04/09 08:16
-	1	"20040035655"	US-PGPUB	2004/04/09 08:26
-	2	"2003113877"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 08:39
-	0	US006491140B2	USPAT; US-PGPUB	2004/04/09 08:33
-	2	((("6491140") or ("6374958"))).PN.	USPAT; US-PGPUB	2004/04/09 08:33
-	1	("20030066719" and fail\$4) and fail\$4	USPAT; US-PGPUB	2004/04/09 08:37
-	0	("20030066719" and fail\$4) and fail\$4 with wear	USPAT; US-PGPUB	2004/04/09 08:37
-	0	("20030066719" and fail\$4) and fail\$4 with adjust\$4	USPAT; US-PGPUB	2004/04/09 08:37
-	0	("20030066719" and fail\$4) and fail\$4 with rotary	USPAT; US-PGPUB	2004/04/09 08:38
-	0	("20030066719" and fail\$4) and fail\$4 with convert\$4	USPAT; US-PGPUB	2004/04/09 08:38
-	1	"2003113877" and limiter	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 08:40
-	1	"2003113877" and limiter same (spring or resilient)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 08:41
-	1	"20030066719" and limiter same (spring or resilient)	US-PGPUB	2004/04/09 08:43
-	0	"20030066719" and limiter same (spring or resilient) same store	US-PGPUB	2004/04/09 08:42
-	0	"20030066719" and limiter same (spring or resilient) same torque	US-PGPUB	2004/04/09 08:42
-	1	"20030066719" and fail\$4 same (spring or resilient)	US-PGPUB	2004/09/07 10:43
-	0	6491140.pn. and fail\$4 same (spring or resilient)	USPAT; US-PGPUB	2004/04/09 08:50
-	0	6491140.pn	USPAT; US-PGPUB	2004/04/09 08:50
-	1	6491140.pn.	USPAT; US-PGPUB	2004/04/09 08:50
-	0	6491140.pn. . and fail\$4 same (spring or resilient)	USPAT; US-PGPUB	2004/04/09 08:50
-	0	6491140.pn. . and fail\$4	USPAT; US-PGPUB	2004/04/09 08:50
-	0	6491140.pn. . and defect\$4	USPAT; US-PGPUB	2004/04/09 08:51
-	0	6679356.pn. . and defect\$4	USPAT; US-PGPUB	2004/04/09 08:51
-	1	6679356.pn. . and fail\$4	USPAT; US-PGPUB	2004/04/09 08:51
-	1	6679356.pn. . and fail\$4 with spring	USPAT; US-PGPUB	2004/04/09 08:52
-	0	6374958.pn. and fail\$4 with spring	USPAT; US-PGPUB	2004/04/09 08:53
-	1	6374958.pn.	USPAT; US-PGPUB	2004/04/09 08:53
-	4	tokio.asn. and usui.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:09
-	44	tokico.asn. and usui.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:11

-	8	tokico.asn. and usui.in. and pad with wear	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:13
-	0	tokico.asn. and usui.in. and pad with wear with piston with play	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:13
-	7	tokico.asn. and usui.in. and pad with wear with piston	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:19
-	4	tokico.asn. and usui.in. and pad with wear with piston and coil adj spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:15
-	5	tokico.asn. and usui.in. and pad with wear with piston same limiter	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:24
-	4	tokico.asn. and usui.in. and pad with wear with piston same limiter and limiter with spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:25
-	4	tokico.asn. and usui.in. and pad with wear with piston same limiter and limiter with spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 09:57
-	4	tokico.asn. and pad with wear with piston same limiter and limiter with spring same brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 09:58
-	4	tokico.asn. and pad with wear with piston same limiter same spring same brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 10:18